

**Washington State HIV/AIDS Surveillance Report - 01/31/2004**  
**Washington State Department of Health**

**Table 1. WASHINGTON STATE HIV<sup>1</sup> and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING**

	TOTAL CASES (& CASE FATALITY RATE <sup>2</sup> ) DIAGNOSED DURING INTERVAL <sup>3</sup>					DEATHS OCCURRING DURING INTERVAL <sup>4</sup>		CASES PRESUMED LIVING DIAGNOSED DURING INTERVAL <sup>3</sup>		
	HIV <sup>1</sup>		AIDS		HIV/AIDS Total	HIV <sup>1</sup>		HIV <sup>1</sup>		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	No.	No.	No.	
1982	2	(0%)	1	(100%)	3	0	0	2	0	2
1983	6	(17%)	20	(100%)	26	0	7	5	0	5
1984	14	(0%)	79	(97%)	93	0	31	14	2	16
1985	68	(7%)	132	(97%)	200	0	81	63	4	67
1986	61	(11%)	250	(98%)	311	0	128	54	6	60
1987	75	(11%)	371	(95%)	446	2	187	67	17	84
1988	84	(12%)	497	(93%)	581	6	240	74	34	108
1989	125	(10%)	629	(91%)	754	8	311	112	58	170
1990	139	(12%)	759	(89%)	898	6	378	123	83	206
1991	156	(7%)	856	(86%)	1,012	4	477	145	123	268
1992	148	(7%)	924	(75%)	1,072	7	530	138	229	367
1993	130	(4%)	998	(65%)	1,128	12	644	125	348	473
1994	175	(3%)	893	(52%)	1,068	4	683	170	428	598
1995	186	(2%)	791	(34%)	977	5	676	182	524	706
1996	226	(3%)	716	(23%)	942	3	476	220	548	768
1997	233	(5%)	534	(17%)	767	6	221	222	442	664
1998	219	(2%)	412	(19%)	631	3	154	214	332	546
1999	291	(2%)	373	(19%)	664	4	140	286	303	589
2000	356	(1%)	451	(17%)	807	27	160	351	375	726
2001	327	(1%)	413	(11%)	740	18	147	325	366	691
2002	322	(1%)	433	(7%)	755	9	123	319	403	722
2003 <sup>5</sup>	299	(0%)	381	(4%)	680	9	127	298	366	664
2004 YTD <sup>5</sup>	0		2	(0%)	2	0	1	0	2	2
<b>TOTAL</b>	<b>3,642</b>	<b>(4%)</b>	<b>10,915</b>	<b>(54%)</b>	<b>14,557</b>	<b>133</b>	<b>5,922</b>	<b>3,509</b>	<b>4,993</b>	<b>8,502</b>

**Table 2. WASHINGTON STATE HIV<sup>1</sup> AND AIDS CASES, GENDER BY AGE AT DIAGNOSIS**

	HIV <sup>1</sup>						AIDS					
	Male		Female		Total		Male		Female		Total	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Under 13	17	(0%)	20	(1%)	37	(1%)	15	(0%)	17	(0%)	32	(0%)
13-19	58	(2%)	39	(1%)	97	(3%)	29	(0%)	11	(0%)	40	(0%)
20-29	1,023	(28%)	201	(6%)	1,224	(34%)	1,636	(15%)	218	(2%)	1,854	(17%)
30-39	1,305	(36%)	165	(5%)	1,470	(40%)	4,699	(43%)	373	(3%)	5,072	(46%)
40-49	559	(15%)	89	(2%)	648	(18%)	2,623	(24%)	199	(2%)	2,822	(26%)
50-59	123	(3%)	21	(1%)	144	(4%)	757	(7%)	75	(1%)	832	(8%)
60+	17	(0%)	5	(0%)	22	(1%)	233	(2%)	30	(0%)	263	(2%)
<b>TOTAL</b>	<b>3,102</b>	<b>(85%)</b>	<b>540</b>	<b>(15%)</b>	<b>3,642</b>	<b>(100%)</b>	<b>9,992</b>	<b>(92%)</b>	<b>923</b>	<b>(8%)</b>	<b>10,915</b>	<b>(100%)</b>

Notes:

- 1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.
- 2 Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.
- 3 Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.
- 4 Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.
- 5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

**Washington State HIV/AIDS Surveillance Report - 01/31/2004**  
**Washington State Department of Health**

**Table 3. WASHINGTON STATE HIV<sup>1</sup> CASES, RACE/ETHNICITY<sup>10</sup> AND EXPOSURE CATEGORY**

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<b><u>Race/Ethnicity<sup>10</sup></u></b>								
White, not Hispanic	2384	(77%)	272	(52%)	13	(35%)	2669	(73%)
Black, not Hispanic	337	(11%)	161	(31%)	14	(38%)	512	(14%)
Hispanic (All Races)	229	(7%)	45	(9%)	6	(16%)	280	(8%)
Asian/Pacific Islander	3	(0%)	4	(1%)	0	(0%)	7	(0%)
Asian	64	(2%)	9	(2%)	4	(11%)	77	(2%)
Hawaiian/Pacific Islander	4	(0%)	1	(0%)	0	(0%)	5	(0%)
Native American/Alaskan	36	(1%)	22	(4%)	0	(0%)	58	(2%)
Multi-race	6	(0%)	0	(0%)	0	(0%)	6	(0%)
Unknown	22	(1%)	6	(1%)	0	(0%)	28	(1%)
<b>Total</b>	<b>3085</b>	<b>(100%)</b>	<b>520</b>	<b>(100%)</b>	<b>37</b>	<b>(100%)</b>	<b>3642</b>	<b>(100%)</b>
<b><u>Exposure Category</u></b>								
Male/male sex (MSM)	2261	(73%)	N/A	( )	0	(0%)	2261	(62%)
Injecting Drug Use (IDU)	232	(8%)	135	(26%)	0	(0%)	367	(10%)
MSM and IDU	306	(10%)	N/A	( )	0	(0%)	306	(8%)
Transfusion/Transplant	6	(0%)	8	(2%)	0	(0%)	14	(0%)
Hemophilia	12	(0%)	1	(0%)	1	(3%)	14	(0%)
Heterosexual Contact <sup>6</sup>	103	(3%)	261	(50%)	0	(0%)	364	(10%)
Mother at Risk for HIV	0	(0%)	0	(0%)	34	(92%)	34	(1%)
No Identified Risk <sup>7</sup> /Other	165	(5%)	115	(22%)	2	(5%)	282	(8%)
<b>Total</b>	<b>3085</b>	<b>(100%)</b>	<b>520</b>	<b>(100%)</b>	<b>37</b>	<b>(100%)</b>	<b>3642</b>	<b>(100%)</b>

**Table 4. WASHINGTON STATE AIDS CASES, RACE/ETHNICITY<sup>10</sup> AND EXPOSURE CATEGORY**

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<b><u>Race/Ethnicity<sup>10</sup></u></b>								
White, not Hispanic	7987	(80%)	519	(57%)	15	(47%)	8521	(78%)
Black, not Hispanic	940	(9%)	230	(25%)	10	(31%)	1180	(11%)
Hispanic (All Races)	703	(7%)	78	(9%)	4	(13%)	785	(7%)
Asian/Pacific Islander	34	(0%)	12	(1%)	1	(3%)	47	(0%)
Asian	106	(1%)	15	(2%)	0	(0%)	121	(1%)
Hawaiian/Pacific Islander	20	(0%)	5	(1%)	0	(0%)	25	(0%)
Native American/Alaskan	158	(2%)	42	(5%)	1	(3%)	201	(2%)
Multi-race	18	(0%)	2	(0%)	1	(3%)	21	(0%)
Unknown	11	(0%)	3	(0%)	0	(0%)	14	(0%)
<b>Total</b>	<b>9977</b>	<b>(100%)</b>	<b>906</b>	<b>(100%)</b>	<b>32</b>	<b>(100%)</b>	<b>10915</b>	<b>(100%)</b>
<b><u>Exposure Category</u></b>								
Male/male sex (MSM)	7318	(73%)	N/A	( )	0	(0%)	7318	(67%)
Injecting Drug Use (IDU)	724	(7%)	276	(30%)	0	(0%)	1000	(9%)
MSM and IDU	1088	(11%)	N/A	( )	0	(0%)	1088	(10%)
Transfusion/Transplant	73	(1%)	49	(5%)	0	(0%)	122	(1%)
Hemophilia	82	(1%)	4	(0%)	4	(13%)	90	(1%)
Heterosexual Contact <sup>6</sup>	256	(3%)	450	(50%)	0	(0%)	706	(6%)
Mother at Risk for HIV	0	(0%)	0	(0%)	28	(88%)	28	(0%)
No Identified Risk <sup>7</sup> /Other	436	(4%)	127	(14%)	0	(0%)	563	(5%)
<b>Total</b>	<b>9977</b>	<b>(100%)</b>	<b>906</b>	<b>(100%)</b>	<b>32</b>	<b>(100%)</b>	<b>10915</b>	<b>(100%)</b>

**Notes:**

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.

7 No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

**Washington State HIV/AIDS Surveillance Report - 01/31/2004**  
**Washington State Department of Health**

**Table 5. WA STATE HIV<sup>1</sup> AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE<sup>8</sup> AT DIAGNOSIS**

	CASES DIAGNOSED					DEATHS					PRESUMED LIVING				
	HIV <sup>1</sup>		AIDS		TOTAL	HIV <sup>1</sup>		AIDS		TOTAL	HIV <sup>1</sup>		AIDS		TOTAL
	No.	(%)	No.	(%)		No.	(%)	No.	(%)		No.	(%)	No.	(%)	
<b>REGION 1</b>	156	(4.3%)	606	(5.6%)	<b>762</b>	9	(6.8%)	318	(5.4%)		147	(4.2%)	288	(5.8%)	<b>435</b>
ADAMS CO.	1	(0.0%)	5	(0.0%)	6	0	(0.0%)	1	(0.0%)	1	1	(0.0%)	4	(0.1%)	5
ASOTIN CO.	3	(0.1%)	14	(0.1%)	17	1	(0.8%)	6	(0.1%)	7	2	(0.1%)	8	(0.2%)	10
COLUMBIA CO.	1	(0.0%)	4	(0.0%)	5	0	(0.0%)	3	(0.1%)	3	1	(0.0%)	1	(0.0%)	2
FERRY CO.	0	(0.0%)	7	(0.1%)	7	0	(0.0%)	6	(0.1%)	6	0	(0.0%)	1	(0.0%)	1
GARFIELD CO.	0	(0.0%)	0	(0.0%)	0	0	(0.0%)	0	(0.0%)	0	0	(0.0%)	0	(0.0%)	0
LINCOLN CO.	0	(0.0%)	4	(0.0%)	4	0	(0.0%)	2	(0.0%)	2	0	(0.0%)	2	(0.0%)	2
OKANOGAN CO.	7	(0.2%)	22	(0.2%)	29	0	(0.0%)	8	(0.1%)	8	7	(0.2%)	14	(0.3%)	21
PEND OREILLE CO.	1	(0.0%)	8	(0.1%)	9	0	(0.0%)	5	(0.1%)	5	1	(0.0%)	3	(0.1%)	4
SPOKANE CO.	131	(3.6%)	452	(4.1%)	<b>583</b>	7	(5.3%)	245	(4.1%)	252	124	(3.5%)	207	(4.1%)	<b>331</b>
STEVENS CO.	4	(0.1%)	22	(0.2%)	26	0	(0.0%)	8	(0.1%)	8	4	(0.1%)	14	(0.3%)	18
WALLA WALLA CO.	6	(0.2%)	58	(0.5%)	64	1	(0.8%)	30	(0.5%)	31	5	(0.1%)	28	(0.6%)	33
WHITMAN CO.	2	(0.1%)	10	(0.1%)	12	0	(0.0%)	4	(0.1%)	4	2	(0.1%)	6	(0.1%)	8
<b>REGION 2</b>	120	(3.3%)	358	(3.3%)	<b>478</b>	6	(4.5%)	181	(3.1%)		114	(3.2%)	177	(3.5%)	<b>291</b>
BENTON CO.	21	(0.6%)	78	(0.7%)	99	1	(0.8%)	34	(0.6%)	35	20	(0.6%)	44	(0.9%)	64
CHELAN CO.	11	(0.3%)	34	(0.3%)	45	0	(0.0%)	21	(0.4%)	21	11	(0.3%)	13	(0.3%)	24
DOUGLAS CO.	2	(0.1%)	2	(0.0%)	4	0	(0.0%)	2	(0.0%)	2	2	(0.1%)	0	(0.0%)	2
FRANKLIN CO.	19	(0.5%)	38	(0.3%)	57	1	(0.8%)	12	(0.2%)	13	18	(0.5%)	26	(0.5%)	44
GRANT CO.	8	(0.2%)	29	(0.3%)	37	1	(0.8%)	21	(0.4%)	22	7	(0.2%)	8	(0.2%)	15
KITTITAS CO.	3	(0.1%)	14	(0.1%)	17	0	(0.0%)	9	(0.2%)	9	3	(0.1%)	5	(0.1%)	8
Klickitat CO.	5	(0.1%)	11	(0.1%)	16	0	(0.0%)	8	(0.1%)	8	5	(0.1%)	3	(0.1%)	8
YAKIMA CO.	51	(1.4%)	152	(1.4%)	203	3	(2.3%)	74	(1.2%)	77	48	(1.4%)	78	(1.6%)	126
<b>REGION 3</b>	280	(7.7%)	857	(7.9%)	<b>1,137</b>	12	(9.0%)	441	(7.4%)		268	(7.6%)	416	(8.3%)	<b>684</b>
ISLAND CO.	16	(0.4%)	59	(0.5%)	75	1	(0.8%)	35	(0.6%)	36	15	(0.4%)	24	(0.5%)	39
SAN JUAN CO.	6	(0.2%)	18	(0.2%)	24	0	(0.0%)	10	(0.2%)	10	6	(0.2%)	8	(0.2%)	14
SKAGIT CO.	22	(0.6%)	51	(0.5%)	73	2	(1.5%)	27	(0.5%)	29	20	(0.6%)	24	(0.5%)	44
SNOHOMISH CO.	197	(5.4%)	577	(5.3%)	774	8	(6.0%)	293	(4.9%)	301	189	(5.4%)	284	(5.7%)	473
WHATCOM CO.	39	(1.1%)	152	(1.4%)	191	1	(0.8%)	76	(1.3%)	77	38	(1.1%)	76	(1.5%)	114
<b>REGION 5</b>	408	(11.2%)	1,161	(10.6%)	<b>1,569</b>	24	(18.0%)	628	(10.6%)		384	(10.9%)	533	(10.7%)	<b>917</b>
KITSAP CO.	67	(1.8%)	195	(1.8%)	262	1	(0.8%)	106	(1.8%)	107	66	(1.9%)	89	(1.8%)	155
PIERCE CO.	341	(9.4%)	966	(8.9%)	1,307	23	(17.3%)	522	(8.8%)	545	318	(9.1%)	444	(8.9%)	762
<b>REGION 6</b>	273	(7.5%)	912	(8.4%)	<b>1,185</b>	12	(9.0%)	452	(7.6%)		261	(7.4%)	460	(9.2%)	<b>721</b>
CLALLAM CO.	15	(0.4%)	51	(0.5%)	66	2	(1.5%)	27	(0.5%)	29	13	(0.4%)	24	(0.5%)	37
CLARK CO.	121	(3.3%)	402	(3.7%)	523	2	(1.5%)	197	(3.3%)	199	119	(3.4%)	205	(4.1%)	324
COWLITZ CO.	30	(0.8%)	89	(0.8%)	119	1	(0.8%)	50	(0.8%)	51	29	(0.8%)	39	(0.8%)	68
GRAYS HARBOR CO.	11	(0.3%)	48	(0.4%)	59	1	(0.8%)	28	(0.5%)	29	10	(0.3%)	20	(0.4%)	30
JEFFERSON CO.	7	(0.2%)	24	(0.2%)	31	3	(2.3%)	14	(0.2%)	17	4	(0.1%)	10	(0.2%)	14
LEWIS CO.	8	(0.2%)	40	(0.4%)	48	1	(0.8%)	26	(0.4%)	27	7	(0.2%)	14	(0.3%)	21
MASON CO.	18	(0.5%)	69	(0.6%)	87	0	(0.0%)	20	(0.3%)	20	18	(0.5%)	49	(1.0%)	67
PACIFIC CO.	5	(0.1%)	17	(0.2%)	22	0	(0.0%)	11	(0.2%)	11	5	(0.1%)	6	(0.1%)	11
SKAMANIA CO.	0	(0.0%)	7	(0.1%)	7	0	(0.0%)	5	(0.1%)	5	0	(0.0%)	2	(0.0%)	2
THURSTON CO.	57	(1.6%)	163	(1.5%)	220	2	(1.5%)	74	(1.2%)	76	55	(1.6%)	89	(1.8%)	144
WAHKIAKUM CO.	1	(0.0%)	2	(0.0%)	3	0	(0.0%)	0	(0.0%)	0	1	(0.0%)	2	(0.0%)	3
<b>SUBTOTAL</b>	1,237	(34.0%)	3,894	(35.7%)	<b>5,131</b>	63	(47.4%)	2,020	(34.1%)		1,174	(33.5%)	1,874	(37.5%)	<b>3,048</b>
<b>REGION 4 (KING CO.)</b>	2,405	(66.0%)	7,021	(64.3%)	<b>9,426</b>	70	(52.6%)	3,902	(65.9%)		2,335	(66.5%)	3,119	(62.5%)	<b>5,454</b>
<b>STATE TOTAL</b>	3,642	(100%)	10,915	(100%)	<b>14,557</b>	133	(100%)	5,922	(100%)		3,509	(100%)	4,993	(100%)	<b>8,502</b>

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

8 County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

## Washington State HIV/AIDS Surveillance Report - 01/31/2004

**Table 6. WASHINGTON STATE HIV<sup>1</sup> CASES, YEAR OF DIAGNOSIS<sup>3</sup> BY GENDER, RACE/ETHNICITY<sup>10</sup>, EXPOSURE CATEGORY, AND AIDSNET REGION OF RESIDENCE<sup>9</sup> AT DIAGNOSIS**

	1982-1989		1990-1997		1998-Current <sup>5</sup>		Cumulative		2000		2001		2002		2003 <sup>5</sup>		2004 YTYD <sup>5</sup>	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<b>Gender</b>																		
Male	400	(92%)	1170	(84%)	1532	(84%)	3102	(85%)	290	(81%)	283	(87%)	275	(85%)	247	(83%)	0	
Female	35	(8%)	223	(16%)	282	(16%)	540	(15%)	66	(19%)	44	(13%)	47	(15%)	52	(17%)	0	
<b>Total</b>	<b>435</b>	<b>(100%)</b>	<b>1393</b>	<b>(100%)</b>	<b>1814</b>	<b>(100%)</b>	<b>3642</b>	<b>(100%)</b>	<b>356</b>	<b>(100%)</b>	<b>327</b>	<b>(100%)</b>	<b>322</b>	<b>(100%)</b>	<b>299</b>	<b>(100%)</b>	<b>0</b>	
<b>Race/Ethnicity<sup>10</sup></b>																		
White, not Hispanic	370	(85%)	1081	(78%)	1218	(67%)	2669	(73%)	229	(64%)	219	(67%)	207	(64%)	194	(65%)	0	
Black, not Hispanic	42	(10%)	167	(12%)	303	(17%)	512	(14%)	67	(19%)	53	(16%)	67	(21%)	51	(17%)	0	
Hispanic (All Races)	11	(3%)	88	(6%)	181	(10%)	280	(8%)	38	(11%)	34	(10%)	29	(9%)	34	(11%)	0	
Asian/Pacific Islander	0	(0%)	1	(0%)	6	(0%)	7	(0%)	2	(1%)	2	(1%)	0	(0%)	0	(0%)	0	
Asian	3	(1%)	25	(2%)	49	(3%)	77	(2%)	10	(3%)	11	(3%)	7	(2%)	7	(2%)	0	
Hawaiian/Pacific Islander	1	(0%)	0	(0%)	4	(0%)	5	(0%)	1	(0%)	0	(0%)	0	(0%)	2	(1%)	0	
Native American/Alaskan	6	(1%)	22	(2%)	30	(2%)	58	(2%)	5	(1%)	5	(2%)	5	(2%)	9	(3%)	0	
Multi-race	0	(0%)	1	(0%)	5	(0%)	6	(0%)	0	(0%)	0	(0%)	4	(1%)	1	(0%)	0	
Unknown	2	(0%)	8	(1%)	18	(1%)	28	(1%)	4	(1%)	3	(1%)	3	(1%)	1	(0%)	0	
<b>Total</b>	<b>435</b>	<b>(100%)</b>	<b>1393</b>	<b>(100%)</b>	<b>1814</b>	<b>(100%)</b>	<b>3642</b>	<b>(100%)</b>	<b>356</b>	<b>(100%)</b>	<b>327</b>	<b>(100%)</b>	<b>322</b>	<b>(100%)</b>	<b>299</b>	<b>(100%)</b>	<b>0</b>	
<b>Exposure Category</b>																		
Male/male sex (MSM)	296	(68%)	852	(61%)	1113	(61%)	2261	(62%)	199	(56%)	191	(58%)	201	(62%)	180	(60%)	0	
Injecting Drug Use (IDU)	48	(11%)	144	(10%)	175	(10%)	367	(10%)	48	(13%)	29	(9%)	29	(9%)	25	(8%)	0	
MSM and IDU	50	(11%)	120	(9%)	136	(7%)	306	(8%)	25	(7%)	26	(8%)	29	(9%)	21	(7%)	0	
Transfusion/Transplant	3	(1%)	7	(1%)	4	(0%)	14	(0%)	1	(0%)	2	(1%)	0	(0%)	0	(0%)	0	
Hemophilia	9	(2%)	4	(0%)	1	(0%)	14	(0%)	1	(0%)	0	(0%)	0	(0%)	0	(0%)	0	
Heterosexual Contact <sup>6</sup>	12	(3%)	142	(10%)	210	(12%)	364	(10%)	46	(13%)	40	(12%)	41	(13%)	37	(12%)	0	
Mother at Risk for HIV	3	(1%)	25	(2%)	6	(0%)	34	(1%)	2	(1%)	0	(0%)	0	(0%)	1	(0%)	0	
No Identified Risk <sup>7</sup> /Other	14	(3%)	99	(7%)	169	(9%)	282	(8%)	34	(10%)	39	(12%)	22	(7%)	35	(12%)	0	
<b>Total</b>	<b>435</b>	<b>(100%)</b>	<b>1393</b>	<b>(100%)</b>	<b>1814</b>	<b>(100%)</b>	<b>3642</b>	<b>(100%)</b>	<b>356</b>	<b>(100%)</b>	<b>327</b>	<b>(100%)</b>	<b>322</b>	<b>(100%)</b>	<b>299</b>	<b>(100%)</b>	<b>0</b>	
<b>AIDSNET Region</b>																		
Region 1	22	(5%)	57	(4%)	77	(4%)	156	(4%)	17	(5%)	15	(5%)	15	(5%)	12	(4%)	0	
Region 2	11	(3%)	40	(3%)	69	(4%)	120	(3%)	10	(3%)	10	(3%)	16	(5%)	13	(4%)	0	
Region 3	31	(7%)	127	(9%)	122	(7%)	280	(8%)	21	(6%)	24	(7%)	16	(5%)	22	(7%)	0	
Region 5	40	(9%)	169	(12%)	199	(11%)	408	(11%)	47	(13%)	28	(9%)	37	(11%)	37	(12%)	0	
Region 6	30	(7%)	115	(8%)	128	(7%)	273	(7%)	16	(4%)	31	(9%)	24	(7%)	23	(8%)	0	
<b>Subtotal</b>	<b>134</b>	<b>(31%)</b>	<b>508</b>	<b>(36%)</b>	<b>595</b>	<b>(33%)</b>	<b>1237</b>	<b>(34%)</b>	<b>111</b>	<b>(31%)</b>	<b>108</b>	<b>(33%)</b>	<b>108</b>	<b>(34%)</b>	<b>107</b>	<b>(36%)</b>	<b>0</b>	
Region 4 (King Co.)	301	(69%)	885	(64%)	1219	(67%)	2405	(66%)	245	(69%)	219	(67%)	214	(66%)	192	(64%)	0	
<b>Total</b>	<b>435</b>	<b>(100%)</b>	<b>1393</b>	<b>(100%)</b>	<b>1814</b>	<b>(100%)</b>	<b>3642</b>	<b>(100%)</b>	<b>356</b>	<b>(100%)</b>	<b>327</b>	<b>(100%)</b>	<b>322</b>	<b>(100%)</b>	<b>299</b>	<b>(100%)</b>	<b>0</b>	

**Notes:**

- 1 This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.
- 3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.
- 5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.
- 6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.
- 7 No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.
- 9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.
- 10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State Department of Health  
IDRH Assessment Unit  
P.O. Box 47838 -- Olympia, WA 98504-7838  
(360) 236-3455

# Washington State HIV/AIDS Surveillance Report - 01/31/2004

**Table 7. WASHINGTON STATE AIDS CASES, YEAR OF DIAGNOSIS<sup>3</sup> BY GENDER, RACE/ETHNICITY<sup>10</sup>, EXPOSURE CATEGORY, AND AIDSNET REGION OF RESIDENCE<sup>9</sup> AT DIAGNOSIS**

	1982-1989		1990-1997		1998-Current <sup>5</sup>		Cumulative		2000		2001		2002		2003 <sup>5</sup>		2004 YTYD <sup>5</sup>	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<b>Gender</b>																		
Male	1915	(97%)	5956	(92%)	2121	(86%)	9992	(92%)	386	(86%)	364	(88%)	361	(83%)	318	(83%)	1	(50%)
Female	64	(3%)	515	(8%)	344	(14%)	923	(8%)	65	(14%)	49	(12%)	72	(17%)	63	(17%)	1	(50%)
<b>Total</b>	<b>1979</b>	<b>(100%)</b>	<b>6471</b>	<b>(100%)</b>	<b>2465</b>	<b>(100%)</b>	<b>10915</b>	<b>(100%)</b>	<b>451</b>	<b>(100%)</b>	<b>413</b>	<b>(100%)</b>	<b>433</b>	<b>(100%)</b>	<b>381</b>	<b>(100%)</b>	<b>2</b>	<b>(100%)</b>
<b>Race/Ethnicity<sup>10</sup></b>																		
White, not Hispanic	1733	(88%)	5141	(79%)	1647	(67%)	8521	(78%)	303	(67%)	272	(66%)	279	(64%)	248	(65%)	1	(50%)
Black, not Hispanic	132	(7%)	639	(10%)	409	(17%)	1180	(11%)	84	(19%)	75	(18%)	78	(18%)	59	(15%)	0	(0%)
Hispanic (All Races)	78	(4%)	436	(7%)	271	(11%)	785	(7%)	45	(10%)	45	(11%)	46	(11%)	48	(13%)	0	(0%)
Asian/Pacific Islander	3	(0%)	32	(0%)	12	(0%)	47	(0%)	0	(0%)	3	(1%)	4	(1%)	1	(0%)	0	(0%)
Asian	11	(1%)	70	(1%)	40	(2%)	121	(1%)	3	(1%)	5	(1%)	12	(3%)	9	(2%)	0	(0%)
Hawaiian/Pacific Islander	5	(0%)	10	(0%)	10	(0%)	25	(0%)	3	(1%)	0	(0%)	2	(0%)	5	(1%)	0	(0%)
Native American/Alaskan	16	(1%)	124	(2%)	61	(2%)	201	(2%)	8	(2%)	11	(3%)	11	(3%)	9	(2%)	1	(50%)
Multi-race	1	(0%)	15	(0%)	5	(0%)	21	(0%)	2	(0%)	0	(0%)	0	(0%)	2	(1%)	0	(0%)
Unknown	0	(0%)	4	(0%)	10	(0%)	14	(0%)	3	(1%)	2	(0%)	1	(0%)	0	(0%)	0	(0%)
<b>Total</b>	<b>1979</b>	<b>(100%)</b>	<b>6471</b>	<b>(100%)</b>	<b>2465</b>	<b>(100%)</b>	<b>10915</b>	<b>(100%)</b>	<b>451</b>	<b>(100%)</b>	<b>413</b>	<b>(100%)</b>	<b>433</b>	<b>(100%)</b>	<b>381</b>	<b>(100%)</b>	<b>2</b>	<b>(100%)</b>
<b>Exposure Category</b>																		
Male/male sex (MSM)	1521	(77%)	4409	(68%)	1388	(56%)	7318	(67%)	257	(57%)	239	(58%)	232	(54%)	216	(57%)	1	(50%)
Injecting Drug Use (IDU)	86	(4%)	612	(9%)	302	(12%)	1000	(9%)	57	(13%)	44	(11%)	50	(12%)	44	(12%)	0	(0%)
MSM and IDU	236	(12%)	643	(10%)	209	(8%)	1088	(10%)	35	(8%)	38	(9%)	38	(9%)	26	(7%)	0	(0%)
Transfusion/Transplant	47	(2%)	65	(1%)	10	(0%)	122	(1%)	3	(1%)	0	(0%)	1	(0%)	1	(0%)	0	(0%)
Hemophilia	30	(2%)	53	(1%)	7	(0%)	90	(1%)	3	(1%)	1	(0%)	0	(0%)	1	(0%)	0	(0%)
Heterosexual Contact <sup>6</sup>	29	(1%)	386	(6%)	291	(12%)	706	(6%)	51	(11%)	52	(13%)	69	(16%)	48	(13%)	1	(50%)
Mother at Risk for HIV	8	(0%)	18	(0%)	2	(0%)	28	(0%)	2	(0%)	0	(0%)	0	(0%)	0	(0%)	0	(0%)
No Identified Risk <sup>7</sup> /Other	22	(1%)	285	(4%)	256	(10%)	563	(5%)	43	(10%)	39	(9%)	43	(10%)	45	(12%)	0	(0%)
<b>Total</b>	<b>1979</b>	<b>(100%)</b>	<b>6471</b>	<b>(100%)</b>	<b>2465</b>	<b>(100%)</b>	<b>10915</b>	<b>(100%)</b>	<b>451</b>	<b>(100%)</b>	<b>413</b>	<b>(100%)</b>	<b>433</b>	<b>(100%)</b>	<b>381</b>	<b>(100%)</b>	<b>2</b>	<b>(100%)</b>
<b>AIDSNET Region</b>																		
Region 1	80	(4%)	367	(6%)	159	(6%)	606	(6%)	33	(7%)	21	(5%)	32	(7%)	23	(6%)	0	(0%)
Region 2	49	(2%)	203	(3%)	106	(4%)	358	(3%)	19	(4%)	18	(4%)	15	(3%)	19	(5%)	0	(0%)
Region 3	113	(6%)	534	(8%)	210	(9%)	857	(8%)	29	(6%)	31	(8%)	42	(10%)	33	(9%)	0	(0%)
Region 5	173	(9%)	678	(10%)	310	(13%)	1161	(11%)	72	(16%)	60	(15%)	40	(9%)	32	(8%)	1	(50%)
Region 6	111	(6%)	568	(9%)	233	(9%)	912	(8%)	34	(8%)	53	(13%)	49	(11%)	28	(7%)	0	(0%)
<b>Subtotal</b>	<b>526</b>	<b>(27%)</b>	<b>2350</b>	<b>(36%)</b>	<b>1018</b>	<b>(41%)</b>	<b>3894</b>	<b>(36%)</b>	<b>187</b>	<b>(41%)</b>	<b>183</b>	<b>(44%)</b>	<b>178</b>	<b>(41%)</b>	<b>135</b>	<b>(35%)</b>	<b>1</b>	<b>(50%)</b>
Region 4 (King Co.)	1453	(73%)	4121	(64%)	1447	(59%)	7021	(64%)	264	(59%)	230	(56%)	255	(59%)	246	(65%)	1	(50%)
<b>Total</b>	<b>1979</b>	<b>(100%)</b>	<b>6471</b>	<b>(100%)</b>	<b>2465</b>	<b>(100%)</b>	<b>10915</b>	<b>(100%)</b>	<b>451</b>	<b>(100%)</b>	<b>413</b>	<b>(100%)</b>	<b>433</b>	<b>(100%)</b>	<b>381</b>	<b>(100%)</b>	<b>2</b>	<b>(100%)</b>

**Notes:**

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection.

7 No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State Department of Health  
IDRH Assessment Unit  
P.O. Box 47838 -- Olympia, WA 98504-7838  
(360) 236-3455